


Product Portfolio

Facade | Fit Out | Fixings



Trumark. Facade. Fit Out. Fixings.




FACADE

	Truwood Aluminium	8-9
K	Cembrit	10-11
	James Hardie	12-13
	Cemintel	14-15
	Weathertex	16-17
	ModWood Decking	18-19
	Top Hats	20-21

FIT OUT

	Ceiling Systems	22-25
DAF	Studco	26-27
	EZ Concept	28-29
	Knauf	30-31
	Trim-Tex	32-33
	Insulation	34-35

FIXINGS



About Trumark

Australian owned and with over 70 years serving customers, Trumark are specialist suppliers of facade, fit out and fixing systems.

With an extensive range and excellent stock holdings, we also supply the required tools and accessories to get the job done, so you can complete you project faster and easier.

With Trumark, it's your build, made easy.




With an extensive range of fire compliant
Facade products to suit most build requirements,
Trumark also supply all the system accessories
from top hats to vapour wraps, all matched with
excellent technical support.




Fit Out

From drywall systems to plasterboard and architectural finishings, Trumark can supply all the components required for your build fit out. Our team can also offer specialised engineering support as required.



Fixings

High quality fixings are a critical part of your build, which is why Trumark offer an extensive range of screws and rivets for various applications, along with abrasives, tapes, sealants and tools.





Our Services & Deliveries

Services at a Glance



Central Warehouse Location - Scoresby



Fibre Cement Cutting Service



Engineering & Tech Support



On Call Support Team



Crane Truck -Up to 4 levels



Fast Quotes



Pre-Order and Collect Service



Pack & Pallet

Delivery Options



Standard Delivery

Guaranteed delivery within 6 hours



Pronto™ Delivery

Guaranteed delivery within 2-4 hours



Delivery Guarantee

We promise your order will be delivered in full, within the agreed time, every time or we'll pay your delivery costs.*

*Delivery conditions apply. Visit trumarkgroup.com.au/delivery

Pick Ups

Order pick ups are quick and convenient with Trumark.


Located in Scoresby, we are a two minute drive off Eastlink and only 7km from the Monash Freeway.



Aluminium Battens & Claddings







Battens | 2 Piece Click System







50mm x 50mm





150mm x 50mm



200mm x 50mm



150mm x 50mm (Fin)

Claddings | Interlocking System





Key Features

- > Premium powder coat finish
- > 18 realistic wood-look colours
- > Non-combustible
- > Lightweight
- > Low maintenance
- > Easy 2 piece click install system
- > Full accessories range available
- > Fast lead times
- > Solid colours also available

Warranty

10 year warranty.

Fire Compliance:

- > AS/NZ1530.3-1999 Spread of Flame Index 0*
- > AS 1530.1-1994 Certified to be non-combustible*
- > BCA compliant: Meets BCA Deemed-to-Satisfy provision C1.9(e)(v) -Suitable to use where non-combustible materials are required.


Through Coloured Fibre Cement

CEMBRIT











Cembrit Patina Original

Cembrit Patina Rough

Cembrit Patina Inline







Cembrit Solid

Cembrit Transparent

Cembrit Cover

Key Features

Substrate & Colours

Through Colour Fibre Cement. See website for colour options.

Application

Internal and external.

Board Sizes

8mm x 2500mm x 1250mm 8mm x 3050mm x 1250mm

Installation

Face fix to proprietary top hat framing system. Colour matched fixing rivets available.

Maintenance

No maintenance required – product checks recommended.

Warranty

Cembrit offer a 15 year warranty. Contact Trumark for full warranty details.

Fire Compliance:

- BCA compliant: Meets BCA Deemed-to-Satisfy provision C1.9(e)(iv) - Suitable to use where non-combustible materials are required.
- > Fire tested to EN-13501-1 (Reaction to fire): Classification A2-s1,d0.
- > Fire tested to AS 5637.1 Cembrit Solid received a Group 1 Rating.
- > Fire tested to AS/NZ1530.3-1999 Spread of Flame Index 0

For full range and technical details visit trumark.com.au/cembrit





 $\textbf{Linea}^{\text{\tiny{M}}}\textbf{Weatherboard}$



Matrix[™] Cladding



Stria[™] Cladding



Hardie[™] Fine Texture Cladding



Axon™ Cladding



EasyLap™ Panel



Secura[™] Flooring



HardieDeck™



ExoTec® Building Facade Cladding



 $\textbf{RAB}^{\scriptscriptstyle{\text{\tiny{M}}}}\,\textbf{Board}$



Villaboard° and Versilux° Linings



Full System Accessories

Trumark Fibre Cement Cutting Service


- > Cut-to-size panels
- > Edge profiling
- > Pre-finishing
- > Lamination and Fabrication
- > Boring, routing and profile cutting



Trumark also stock:

- > Axent Trim
- HardieTexPanelClad
- > HardieFlex
- > HardieGroove > PineRidge
- > HardiePanel
 - > PrimeLine
- > HardiePlank
- > Underlay







Commercial ExpressPanel



Ceminseal



Barestone



Surround



Territory - Woodlands Range



Territory - Quarry



Mosaic



SimpleLine



Street Style - Balmoral

Trumark also supply:

- > Endeavour Weatherboards
- > Scarborough Weatherboards
- > Headland Weatherboards
- Plank (Woodgrain & Smooth)
- > Compressed Sheet
- > Aspect Cladding
- > Edge Cladding









Natural



Selflok



Classic



Weathergroove



Primelok



Rubix

Timber Composite Decking & Screens









Xtreme Guard®

Key Features

- > Available in 137mm width
- > Unique capped decking
- > Ultra low maintenance
- > 25-year limited warranty for fade, stain and durability
- > P5 Anti-slip Rating
- > Grooved and square edge profiles
- > Colour matched screw heads
- > Ideal around pools and low ventilation areas
- > Concealed fixing systems available



Natural Grain

Key Features

- > Available in 137 and 88 mm width
- > 10-year limited warranty for durability
- > Low maintenance
- > No paint, stain or oiling required
- > Natural timber appearance
- > Splinter free
- > Concealed fixing systems available

Top Hats & Facade Accessories









Top Hats

Roof Tops Hats

Facade & Backing Angles







Screws

Horseshoe packers

Vapourwrap







Sealants

Adhesives

Tapes

Key Benefits

- > Extensive stock
- > Split packs
- > Fast deliveries
- > Quick lead time
- Quick icad time
- > Engineering services
- > Technical knowledge
- > 50 x 50mm Top Hat

> 50 x 15mm Top Hat

> 50 x 24mm Top Hat

Top Hat Range:

- > 50mm Roof Top Hat
- > 64mm Roof Top Hat
- > 50 x 35mm Top Hat > 96mm Roof Top Hat
 - > 120mm Roof Top Hat
- > 75mm Roof Top Hat
- > D3 Top Hat
- > Joiner Top Hat



Trumark offer a range of concealed and exposed







The V200 concealed system is an industry first, multi-purpose 67mm wide furring channel that offers fast and functional ceiling installation.

200 | 28mm Furring Channel CONCEALED CEILING SYSTEM



The A200 is a fully engineered 28mm furring channel concealed ceiling system that is flexible and secure. It easily clips together to form a suspension system that lining boards can be fixed to.





The B200 is a high calibre 23mm furring channel concealed system that provides a fast, rigid and economical suspended ceiling solution.

SLIMCEIL



SlimCeil is an innovative concealed system designed for low-clearance ceiling cavity requirements. It is fully adjustable, cost effective and easy to install.





Trumark's GT Ultimate Grid is an innovative exposed grid ceiling system which is fast to install, high strength and fully demountable.

FIT OUT

Use the table to help you find the right ceiling system for your requirements or call our team to discuss your needs.




Need Support?

Ceiling specifications for jobs vary project-by-project. We will work closely with you to obtain all relevant details so we can develop a custom and compliant solution to meet your exact requirements.



Suitable for soffits, perforated plasterboard, suspended and direct fix ceilings.




System Details

- 1. 67mm Wide Furring Channel
- 2. Primary Channel
- 3. Spring Hanger
- 4. Galvanised Rod
- 5. Locking Key Coupling



Suitable for suspended ceiling subframe for internal linings or soffit linings.




System Details

- 1. 28mm Furring Channel
- 2. Primary Channel
- 3. Spring Hanger
- 4. Galvanised Rod
- 5. Locking Key Coupling



Suitable for suspended ceiling subframe for internal linings or soffit linings.



System Details

- 1. 23mm Furring Channel
- 2. Primary Channel
- 3. Spring Hanger
- 4. Galvanised Rod
- 5. Locking Key Coupling



Suitable for suspended ceiling subframe for internal linings or soffit linings.




Exposed grid and tile applications.



System Details

- 1. SlimCeil Ceiling Bracket
- 2. SlimCeil Channel
- 3. Lining Board



System Details

- 1. Main Tee
- 2. Cross Tee
- 3. Wall Angle
- 4. Spring Hanger
- 5. Galvanised Rod 5mm
- 6. Tile Hold Down Clip
- 7. Drop In Ceiling Tile

Size	Furring channel width: 67mm Furring channel height: 28mm	Furring channel width: 37mm Furring channel height: 28mm	Furring channel width: 35mm Furring channel height: 23mm	SlimCeil channel width: 51mm SlimCeil channel height: 35mm	24mm Face. All standard profiles - Main Tee, Cross Tees, Wall Angle
Applications	Soffits, perforated plasterboard, suspended and direct fix ceiling	Suspended ceiling subframe for internal linings or soffit linings	Suspended ceiling subframe for internal linings or soffit linings	Compact ceiling cavities	Exposed grid and tile applications
Concealed Grid	✓	✓	✓	✓	
Exposed Grid					✓
Drop in Tile					✓
Perforated Plasterboard	V	✓	V	V	
Flush Plaster Ceiling	V	✓	V	V	
Expressed Joint Soffit	V	✓	V	V	
ResilMount™		✓		V	
Confined Ceiling Space				V	
Long Ceiling Drops	V	✓	V		V
Heavy Ceiling Linings	✓	✓	✓	v	

24 25

Metal & Drywall Systems









Steel Stud & Track (0.55 - 0.75 BMT)




Structural Wall Framing (1.15BMT)



VortexHigh Performance Framing System



HEDA - Structural Wall System



Acoustic Ceiling Systems



Shaftwall Brace



Battened Walls




Brackets



Resilmount Range

J EZCONCEPT







EzyJamb




EzyReveal



EzyTrack

For full range and accessories visit trumark.com.au/fitout



EzyPelmet



CavKit

Need Engineering or Technical Advice?

Trumark Group, together with our experienced suppliers, can help provide specialised engineering support for various essential elements within the building envelope including:

- > Load bearing & non-load bearing wall & ceilings
- > Seismic design
- > Acoustic walls & ceilings
- > Fire-rated walls & ceilings
- > Bulkheads & complex features
- > Top hats & Facade cladding
- > Anti-creaking treatment for tall buildings
- > Modular construction & prefabrication






	Edge		Size		Length (mm)										Feat	ures				
	Profile	Mass (kg /m²)	Thickness (mm)	Width (mm)	2400	2700	3000	3600	4200	4800	5400	0009	Lightweight	Water	Fire	punos	Echo	High Impact	Mould stop	GECA
SHEETROCK° Wall Board	RE	5.4	10	1200 1350	٠	٠				•			:							:
SHEETROCK° Standard	RE	7.2	13	1200 1350								•	:							:
SHEETROCK° CEILING BOARD	RE	5.9	10	1200	٠	٠							:							:
SOUNDSTOP®		9	10	1200 1350				•								٠				
	RE	11.8	13	1200 1350												•				•
WETSTOP™	RE	7.4	10	1200 1350										٠		٠				
		9.4	13	1200			٠	•						٠		٠				٠
FIRE + WETSTOP™	RE	10.8	13	1200				٠						٠	٠	٠				٠
		13.4	16	1200				•						•	•	•				
FIRESTOP®		10.5	13	1200	•	•	•													
111120101		13	16	1200 1350	٠	•	•								:	:				:
MULTISTOP™ 3 HI	RE	11.8	13	1200 1350				:							:	:		:		
MULTISTOP™ 4 HI	RE	11.8	13	1200														÷		
MULTISTOP™ 5 HI	RE	11.8	13	1200																
SHAFTLINER™	RE	20.5	25	600																
ECHOSTOP°	RE	10	13	1200													٠			


Drywall Beads & Accessories














Corner Beads - Square Finish




Corner Beads - Chamfer Finish




Shadow Beads




Magic Corner




Corner Beads - Bullnose finish




Expansion Beads



L Beads



Specialty Beads



Bradford

Acoustigard™ (Acoustic and Thermal)

11kg/m3 - R1.0 - R3.5 14kg/m3 - R1.2 - R2.4 18kg/m3 - R0.6 - R2.5 20kg/m3 - R1.3 - R2.4 24kg/m3 - R1.4 - R2.5 32kg/m3 - R0.7 - R2.7

Gold™ Batts Wall

R1.5 x 75mm R2.0 x 90mm R2.2 x 90mm

Gold™ Batts Hi-Performance Wall

R2.0 x 75m R2.5 x 90mm R2.7 x 90mm R4.0 x 140mm

Gold™ Ceiling Batts

R2.5 x 140mm R5.0 x 240mm R3.0 x 165mm R6.0 x 260mm R3.5 x 185mm R7.0 x 290mm

R4.1 x 215mm

SoundScreen™ - Acoustic Batts

R1.7 x 60mm R2.0 x 70mm R2.5 x 88mm R3.1 x 110mm

Fletcher

Pink® Partition (Acoustic and Thermal)

11kg/m3 - R1.2 - R3.5 14kg/m3 - R1.3 - R2.2 24kg/m3 - R0.7 - R2.8 32kg/m3 - R1.5 - R3.0

Pink® Batts

R1.5 x 70mm R2.0 x 90mm

Pink® Batts HD Wall

R2.0 x 70mm R2.2 x 90mm R2.5 x 90mm

Pink® Batts Ceiling

R2.5 x 130mm R3.0 x 155mm R4.1 x 195mm R5.0 x 215mm R6.0 x 250mm


SoundBreak™ Acoustic Batts

R1.7 x 60mm R2.0 x 70mm R2.5 x 90mm R2.7 x 90mm R3.1 x 110mm

We also specialise in

Polyester | Baffles | Roofing Blankets | Wall Wraps | Sarkings | FireSeal | PIR

















Tapes

Sealants & Adhesives





Safety

37

Tools & Hardware

Working with Trumark

The Trumark "1%" Principle.

With our team of experienced professionals, our focus is on understanding the individual needs of your build to help shorten your construction journey so you can build quicker, easier & more efficiently. Our range might be similar, but the service you get with Trumark is different. Good different. We don't try to be the biggest supplier on the block, we aim to be the easiest supplier to deal with, every time.

But what makes us different? Well, there isn't just one thing that makes Trumark easier to deal with, it is all the "1 percenters" that we do for our customers to help make their job easier – we call it the Trumark "1%" Principle, and it is the reason we have been in business for so many years.



What makes us different?



We actually listen

We realise it is more valuable to listen to what our customers want rather than to talk too much, so that is what we do.



We know a lot of technical stuff

It is a priority for our team to be available to offer the best technical knowhow when you need it – both over the phone or on site.



We are here when you need us

Sometimes you need a favour and this is where Trumark really shines. From fast tracked orders to latenight callouts, we do what we can to support our customers.



We solve problems

Out team are just a phone call away and can be on-site when required to help find a solution to your product or install issues.



Trumark supply building materials to the construction industry. We specialise in facades, fit outs and fixings.

Head Office & Distribution Centre

50 - 52 Koornang Rd, Scoresby VIC 3179 1300 00 50 52 contact@trumark.com.au

trumark.com.au





Details are correct at time of printing. Images for reference only. For more information, installation and technical guides, certificates and warranties visit our website. Copyright ©2022 Trumark.

*Testing in progress at time of printing.